




RP-010
Diamond Plate Rocker Panel Set
E-Z-Go RXV
Installation Instructions



Contents of RP-010 Diamond Plate Rocker Panel Set:

- a (1 ea.) Driver's Side Rocker Panel
- b (1 ea.) Passenger Side Rocker Panel

Recommended Hardware (Not Included)

- (6) #10 x 1.5" Self Tapping Screws

Caution: Please read through the instructions carefully. Look behind each drill location **BEFORE YOU DRILL**. Installer is responsible for damage (i.e. drilling into a wiring harness, battery, fuel tank etc.).


Driver Side Diamond Plate Rocker Panel

Note: Driver side is shown in the photos for all steps.

1. Place the Driver Side Rocker Panel over the existing, factory Rocker Panel. The rear lip should wrap around the rear wheel well.



2. Push the Rocker Panel towards the front of the cart and into the cart for a snug fit.
3. Once in place, drive (2) #10 x 1.5" Self Tapping Screws into the top of the Rocker Panel plate approximately 2.50" from the outer wall of the cart.



4. Lastly, drive (1) #10 x 1.5" Self Tapping Screw into the side of the Rocker Panel about 6-8" from the rear wheel well. The screw placement should be equal distance between the top and bottom of the Rocker Panel.



Passenger Side Diamond Plate Rocker Panel

1. Repeat all steps in the section above for the Passenger Side Diamond Plate Rocker Panel.

This completes the installation of your RXV Diamond Plate Rocker Panels. Please enjoy safely!